Commissioner for Patents United States Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

Date: November 24, 2004

Patent No.: 6,755,892 Inventor(s): Nalette et al. Issued: June 29, 2004

For : CARBON DIOXIDE SCRUBBER FOR FUEL AND GAS EMISSIONS

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Respecting the alleged error(s) in the * Notice, after inspection of the patent application, there is no association where as "* Notice" and item "[73]" should be joined together. Hence, the line is printed in accordance with the record. Therefore, being no fault of the Patent and Trademark Office, no correction(s) is/are in order here under United States Codes (U.S.C.) 254 or 255 and the Code of Federal Regulation (C.F.R.) 1.322 or 1.323).

In view of the foregoing, your request in this matter is hereby denied.

A certificate will issue for the remaining error(s) in your request.

Note: If you obtain data that clearly shows the attorney/applicant is not in error, simply include proving documentation and associated post card receipts, along with your certificate of correction or reconsideration via postal mail, not by fax. If you do not have supporting documentation that clearly shows the attorney/applicant is not in error and verifies that the PTO is in error regarding the matter in your request—then, the appropriate fee of \$100.00 with your Reconsideration Certificate of Correction will be necessary. Depending upon the matter of your request, in addition, a petition with it's appropriate fee of \$130.00 may be necessary, or the request may be denied; please see the MPEP for further instruction and understanding. This is a general hint, which may decrease the processing time of your request.

Stacy Powell, Sr. For Cecelia B. Newman, Supervisor Decisions & Certificates of Correction Branch (703) 605-5428 or (703) 305-8309

Carlson, Gaskey & Olds, P.C. 400 West Maple Road, Suite 350 Birmingham, Michigan 48009

CBN/spsr